

## CRAZY PAVING

Specifications



# Crazy Paving


Natural shapes, colours and textures. Add character, warmth and value to all flooring and landscaping projects.

This is a style used for random shaped pieces of stone. Some stones might be more angular in shape giving a sharper, more defined look, and some stones may be more rounded in shape giving a softer feel. Crazy stone paving is all about getting the grout gaps correct. Larger grout gaps will increase the dominance of the grout in the finished job and tighter grout gaps will let the stone take prominence. An ideal grout gap is around 10mm. This laying pattern takes skill as you cannot run straight string lines to assist with levels, and it involves a lot of stone cutting. Owing to this, laying costs tend to be down the higher end but certainly worth it!

Remember that paving needs to be more than just something that is walked on. From a design point of view, it is a way of interacting with people, a way to encourage movement through a garden, and a way to evoke emotional responses to a garden.



Kimba Crazy Paving



Hotham Crazy Paving



# Products



Ranch Crazy Paving



Banded Crazy Paving



Hotham Crazy Paving



Classic Trave Crazy Paving



Silverton Trave Crazy Paving



Kimba Crazy Paving



Mia Mable Crazy Paving



Bluestone Crazy Paving

# Specifications

## Ranch Sandstone Crazy Paving

---

Format	Thickness	Weight	Packaging	Finish
Random Flat Shapes	20mm	48kg/m2	25m2/pallet	Sawn
Random Flat Shapes	40mm	96kg/m2	15m2/pallet	Sawn

## Banded Sandstone Crazy Paving

---

Format	Thickness	Weight	Packaging	Finish
Random Flat Shapes	30mm	70kg/m2	20m2/pallet	Sawn
Random Flat Shapes	50mm	115kg/m2	15m2/pallet	Sawn

## Hotham Limestone Crazy Paving

---

Format	Thickness	Weight	Packaging	Finish
Random Flat Shapes	20mm	46kg/m2	32m2/pallet	Tumbled

## Classic Travertine Crazy Paving

---

Format	Thickness	Weight	Packaging	Finish
Random Flat Shapes	20mm	46kg/m2	35m2/pallet	Tumbled
Random Flat Shapes	30mm	69kg/m2	18m2/pallet	Tumbled

\*Lead times may apply. Weights may vary and are indicative.

## Silverton Travertine Crazy Paving

---

Format	Thickness	Weight	Packaging	Finish
Random Flat Shapes	20mm	46kg/m2	32m2/pallet	Tumbled
Random Flat Shapes	30mm	69kg/m2	18m2/pallet	Tumbled

## Kimba Crazy Paving

---

Format	Thickness	Weight	Packaging	Finish
Random Flat Shapes	20-40mm	70kg/m2	25m2/pallet	Split

## Mia Mable Crazy Paving

---

Format	Thickness	Weight	Packaging	Finish
Random Flat Shapes	20mm	46kg/m2	32m2/pallet	Tumbled
Random Flat Shapes	30mm	78kg/m2	18m2/pallet	Tumbled

## Iluka Bluestone Crazy Paving

---

Format	Thickness	Weight	Packaging	Finish
Random Flat Shapes	20mm	50kg/m2	25m2/pallet	Sawn

\*Lead times may apply. Weights may vary and are indicative.

# "Choices Made Easy"

Sourcing stone is important for several reasons, particularly in the context of construction and architectural projects. The choice of stone and its origin can significantly impact the quality, durability, and sustainability of the finished product.

Quality and Durability

Aesthetic Appeal

Compatibility with Local Environment

Environmental Impact

Supply Chain Transparency

Technical Characteristics

Cost Considerations

Local Economy Employment

## Procurement Hubs

NSW : Unit 26 / 85-115 Alfred Rd Chipping Norton

QLD : 1/5-7 Byres St, Newstead QLD 4006

[www.aussietecture.com.au](http://www.aussietecture.com.au)