

STONE STEPPERS

Specifications



Stone Steppers

Organic shape, colours and textures. Add character, warmth and value to all flooring and landscaping projects.

Aussietecture
LIFESTYLE



Stockton Granite Steppers



Iluka Bluestone Steppers

We have a huge range of natural stone stepping stone to suit most applications.

A stepping stone path could simply be dropping stone on the ground or could be an intricate paver or stone walkway. Time to get creative and remember we are here if you need any advice. Few tips below which may help!

What should the distance be between stepping stones be?

One of the first things to consider before installing the stones for a stepping path is the distance between the stones. You need to find the distance that is natural for you as you navigate from one step to the other. To determine this distance, walk naturally and measure the distance between the middle of one foot to the other. This is the distance you should have between each stepping stone.

Can you lay stepping stones on soil?

Yes you can lay stepping stones directly on soil. Keep in mind that soil can erode and sink over time. If this is likely to create a problem in your landscaping installation area. Consider using an aggregate like decomposed granite, mortar or sand under the stepping stones to create a more solid level surface. Our preferred method is mortar.

What to put in between stepping stones?

If you are installing individual stones for each step, the area between steps can be made up of decomposed granite, rock, or even filled in with groundcover plants like mondo.

If the stones for your pathway are being installed next to each other to create a pattern, smaller rocks or fine aggregate can be placed in between the stones.

For tight-fitting applications such as a paver or travertine stone pathway, we recommend you broom sand or polymeric sand between the joints to prevent shifting.

Should I put landscape fabric under pavers?

Short answer is yes. Yes. You should always install a landscape fabric barrier below a paver installation. The landscape fabric creates a barrier to prevent weed and grass growth between the paver stones and helps to reduce erosion.

How wide should a pathway be?

Your walkway should be as wide as it needs to be to comfortably navigate. On average, most walkways or pathways are between 900 and 1200mm wide.

In summary, if you're after casual pathway design go for organic steppers. If it's a not so casual and a nice modern design you desire, then rectangular stepping stones or even treads used as stepping stones are the way to go. It's if the formal look you wish to achieve, paved pathways would achieve this outcome.

Products



Sable Granite Steppers



Argent Granite Steppers



Stockton Granite Steppers



Sunbury Granite Steppers



Iluka Bluestone Steppers



Sandstone Steppers

TECHNICAL DATA SHEET

	Finish	Bulk Density (g/cm ³)	Open Porosity	Water Absorption	Compressive Strength	Flexural Strength (Natural Condition)	Flexural Strength (48 Cycles Freeze/Thaw)	Slip Rating (Wet)
Methods		EN1936:2006	EN1936:2006	EN13755:2008	EN1926:2006	EN12372:2006	EN 12371:2010 EN 12372:2006	EN14231:2003 EN1341:2001 AnnexD EN1342:2001 AnnexC
Sable	Flamed	3.03	0.0015	0.0005	193.6Mpa	21.0MPa	20.7MPa	P5(59)
Argent	Flamed	2.79	0.0034	0.001	171.4Mpa	23.2MPa	20.4MPa	P4(46)
Sunbury	Flamed	2.63	0.004	0.004	148.0Mpa	12.4Mpa	12.1Mpa	P5(54)
Stockton	Flamed	2.6	0.011	0.0026	141.7MPa	16.7MPa	16.0MPa	P4(48)
Bluestone	Sawn	3.0	0.0605	0.00185	148.3Mpa	20.4Mpa	20.1Mpa	P5(63)

Specifications

Sable Granite Steppers

Format	Size	Weight Approx.	Packaging	Finish
Organic Shapes	600-800x30m	30kg/ea	33pc/pallet	Flamed

Argent Granite Steppers

Format	Size	Weight Approx.	Packaging	Finish
Organic Shapes	600-800x30m	30kg/ea	33pc/pallet	Flamed

Stockton Granite Steppers

Format	Size	Weight Approx.	Packaging	Finish
Organic Shapes	600-800x30m	30kg/ea	33pc/pallet	Flamed

Sunbury Granite Steppers

Format	Size	Weight Approx.	Packaging	Finish
Organic Shapes	600-800x30m	30kg/ea	33pc/pallet	Flamed

Iluka Bluestone Steppers

Format	Size	Weight Approx.	Packaging	Finish
Organic Shapes	600-800x30m	30kg/ea	33pc/pallet	Flamed

Sandstone Steppers

Format	Size	Weight Approx.	Packaging	Finish
Organic Shapes	300-300x50m	10kg/ea	60pc/pallet	Flamed
Organic Shapes	400-500x50m	23kg/ea	60pc/pallet	Flamed
Organic Shapes	500-800x50m	46kg/ea	15pc/pallet	Flamed

"Choices Made Easy"

Sourcing stone is important for several reasons, particularly in the context of construction and architectural projects. The choice of stone and its origin can significantly impact the quality, durability, and sustainability of the finished product.

Quality and Durability

Aesthetic Appeal

Compatibility with Local Environment

Environmental Impact

Supply Chain Transparency

Technical Characteristics

Cost Considerations

Local Economy Employment

Procurement Hubs

NSW : Unit 26 / 85-115 Alfred Rd Chipping Norton

QLD : 1/5-7 Byres St, Newstead QLD 4006

www.aussietecture.com.au